



# OUTBOARD MOTORS 2024

SUGGESTED RETAIL PRICE LIST FROM 1<sup>ST</sup> AUGUST 2023



Engine model	Power Hp	Version	PRICE (VAT incl.) £	Main technical data				Main standard riggings					
				Displacement (cc.)	Engine type	Admission	Starting method	Propeller	Fuel tank capacity	Alternator	Remote control box	Gauges (mod.)	
<b>4 STROKE RANGE</b>													
Single cylinders	Guppy	2,5	SI.C.	<b>749</b>	87	OHV	1 carb	M	Std	Built-in 0,9lt.	-	-	-
	Sea Bass	4	SI.C.	<b>1.019</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
			SI.L.	<b>1.039</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
	Sea Bass	5	SI.C.	<b>1.149</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
			SI.L.	<b>1.179</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
	Sea Bass	6	SI.C.	<b>1.269</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
			SI.L.	<b>1.279</b>	118	SOHC	1 carb	M	Std	Built-in 1,6lt.	-	-	-
	Oyster	6	SI.C.	<b>1.339</b>	135	SOHC	1 carb	M	Std	Built-in 1,8lt.	-	-	-
			SI.L.	<b>1.359</b>	135	SOHC	1 carb	M	Std	Built-in 1,8lt.	-	-	-
			EI.B.C.	<b>1.939</b>	135	SOHC	1 carb	E	Std	12lt	12V/36W	-	-
	Oyster Big Foot	6	EI.B.L.	<b>1.979</b>	135	SOHC	1 carb	E	Std	12lt	12V/36W	-	-
			C.	<b>1.489</b>	135	SOHC	1 carb	M	Std	12lt	-	-	-
			L.	<b>1.519</b>	135	SOHC	1 carb	M	Std	12lt	-	-	-
			E.B.C.	<b>1.819</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	-	-
			E.B.L.	<b>1.859</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	-	-
			EI.B.C.	<b>2.089</b>	135	SOHC	1 carb	E	Std	12lt	12V/36W	-	-
			EI.B.L.	<b>2.129</b>	135	SOHC	1 carb	E	Std	12lt	12V/36W	-	-
	Oyster Big Foot Sail	6	E.ST.C.	<b>2.069</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-
			E.ST.L.	<b>2.139</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-
			XL	<b>1.699</b>	135	SOHC	1 carb	M	Std	12lt	-	-	-
			E.B.XL.	<b>2.029</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	-	-
	Black Bass	8	EI.B.XL.	<b>2.349</b>	135	SOHC	1 carb	E	Std	12lt	12V/36W	-	-
			E.ST.XL.	<b>2.319</b>	135	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-
			SI.C. - C.	<b>1.559</b>	165	SOHC	1 carb	M	Std	Built-in 1,8lt.- 12lt.	-	-	-
SI.L. - L.			<b>1.579</b>	165	SOHC	1 carb	M	Std	Built-in 1,8lt.- 12lt.	-	-	-	
E.B.C.			<b>1.899</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
E.B.L.			<b>1.929</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
Black Bass Big Foot	8	EI.B.C.	<b>2.199</b>	165	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		EI.B.L.	<b>2.239</b>	165	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		C.	<b>1.689</b>	165	SOHC	1 carb	M	Std	12lt	-	-	-	
		L.	<b>1.739</b>	165	SOHC	1 carb	M	Std	12lt	-	-	-	
		E.B.C.	<b>2.039</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
		E.B.L.	<b>2.079</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
		EI.B.C.	<b>2.359</b>	165	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
Black Bass Big Foot Sail	8	EI.B.L.	<b>2.399</b>	165	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		E.ST.C.	<b>2.349</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
		E.ST.L.	<b>2.389</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
		XL	<b>1.839</b>	165	SOHC	1 carb	M	Std	12lt	-	-	-	
Piranha	9,9	E.B.XL.	<b>2.159</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
		EI.B.XL.	<b>2.469</b>	165	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		E.ST.XL.	<b>2.449</b>	165	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
Piranha Sail	9,9	C.	<b>1.839</b>	181	SOHC	1 carb	M	Std	12lt	-	-	-	
		L.	<b>1.899</b>	181	SOHC	1 carb	M	Std	12lt	-	-	-	
		E.B.C.	<b>2.159</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
		E.B.L.	<b>2.189</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
		EI.B.C.	<b>2.469</b>	181	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		EI.B.L.	<b>2.519</b>	181	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
Piranha Sail	9,9	E.ST.C.	<b>2.449</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
		E.ST.L.	<b>2.509</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
		XL	<b>1.979</b>	181	SOHC	1 carb	M	Std	12lt	-	-	-	
		E.B.XL.	<b>2.289</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	-	-	
Ray	8	EI.B.XL.	<b>2.589</b>	181	SOHC	1 carb	E	Std	12lt	12V/36W	-	-	
		E.ST.XL.	<b>2.599</b>	181	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
Twin-cylinders	Pike	9,9	C.	<b>2.289</b>	212	SOHC	1 carb	M	Std	12lt	12V/70W	-	-
			L.	<b>2.359</b>	212	SOHC	1 carb	M	Std	12lt	12V/70W	-	-
			C.	<b>2.539</b>	212	SOHC	1 carb	M	Std	12lt	12V/70W	-	-
			L.	<b>2.569</b>	212	SOHC	1 carb	M	Std	12lt	12V/70W	-	-
Pike	9,9	E.ST.C.	<b>3.029</b>	212	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	
		E.ST.L.	<b>3.049</b>	212	SOHC	1 carb	E	Std	12lt	12V/70W	SL	-	



# OUTBOARD MOTORS 2024

SUGGESTED RETAIL PRICE LIST FROM 1<sup>ST</sup> AUGUST 2023



Engine model	Power Hp	Version	PRICE (VAT incl.) £	Main technical data				Main standard riggings					
				Displacement (cc.)	Engine type	Admission	Starting method	Propeller	Fuel tank capacity	Alternator	Remote control box	Gauges (mod.)	
<b>4 STROKE RANGE</b>													
Twin-cylinders	Wahoo	15	C.	2.819	362	SOHC	1 carb	M	Std	12lt	12V/120W	-	-
			L.	2.849	362	SOHC	1 carb	M	Std	12lt	12V/120W	-	-
			E.B.L.	3.429	362	SOHC	1 carb	E	Std	12lt	12V/120W	-	-
			E.ST.C.	3.299	362	SOHC	1 carb	E	Std	12lt	12V/120W	SL	-
			E.ST.L.	3.309	362	SOHC	1 carb	E	Std	12lt	12V/120W	SL	-
	Wahoo	20	C.	3.339	362	SOHC	1 carb	M	Std	23lt	12V/120W	-	-
			L.	3.429	362	SOHC	1 carb	M	Std	23lt	12V/120W	-	-
			E.B.L.	3.679	362	SOHC	1 carb	E	Std	23lt	12V/120W	-	-
			E.ST.C.	3.889	362	SOHC	1 carb	E	Std	23lt	12V/120W	SL	-
			E.ST.L.T.	4.379	362	SOHC	1 carb	E	Std	23lt	12V/120W	SL	-
	Amberjack E.F.I.	25	C.	3.979	432	SOHC	EFI	M	Std	23lt	12V/190W	-	-
			L.	4.029	432	SOHC	EFI	M	Std	23lt	12V/190W	-	-
			E.M.B.C.	4.229	432	SOHC	EFI	M-E	Std	23lt	12V/190W	-	-
			E.M.B.L.	4.289	432	SOHC	EFI	M-E	Std	23lt	12V/190W	-	-
			E.ST.C.	4.789	432	SOHC	EFI	E	Std	23lt	12V/190W	SL	-
E.ST.L.			4.859	432	SOHC	EFI	E	Std	23lt	12V/190W	SL	-	
3 Cyl.	Aruana E.F.I.	30XS	E.B.L.S.	5.909	747	SOHC	EFI	E	HA	23lt	12V/190W	-	-
			E.ST.L.PT.	5.999	747	SOHC	EFI	E	HA	23lt	12V/190W	SL	R1
	Aruana E.F.I.	40	E.B.L.S.	6.739	747	SOHC	EFI	E	HA	23lt	12V/190W	-	-
4 Cylinders	Dorado E.F.I.	50	E.ST.L.PT.	8.109	996	SOHC	EFI	E	HA	23lt	12V/200W	SL	R1
			E.ST.L.PT.	8.849	996	SOHC	EFI	E	HA	23lt	12V/200W	SL	R1
	Murena E.F.I.	70	E.ST.L.PT.	10.029	996	SOHC-16V	EFI	E	HA	23lt	12V/200W	SL	R1
			E.ST.XL.PT.	10.399	996	SOHC-16V	EFI	E	HA	23lt	12V/200W	SL	R1
	Spearfish E.F.I.	80XS	E.ST.L.PT.	11.149	1832	DOHC-16V	EFI	E	HA	-	12V/420W	SL	R1
			E.ST.L.PT.	12.219	1832	DOHC-16V	EFI	E	HA	-	12V/420W	SL	R1
	Spearfish E.F.I.	100	E.ST.L.PT.	12.399	1832	DOHC-16V	EFI	E	HA	-	12V/420W	SL	R1
			E.ST.XL.PT.	13.599	1832	DOHC-16V	EFI	E	HA	-	12V/420W	SL	R1
	Swordfish E.F.I.	115	E.ST.L.PT.	13.799	1832	DOHC-16V	EFI	E	HA	-	12V/420W	SL	R1
			E.ST.XL.PT.	16.629	2670	DOHC-16V	EFI	E	HIP	-	12V/420W	SC	R1
Killer Whale E.F.I.	200	E.ST.L.PT.	16.919	2670	DOHC-16V	EFI	E	HIP	-	12V/420W	SC	R1	
		E.ST.XL.PT.	22.589	2785	DOHC-16V+VCT	EFI	E	HIP	-	12V/500W	SC	S1	
6 Cyl.	Beaked Whale E.F.I. ■	225	E.DW.XL.PT.	26.249	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1
			E.DW.UL.PT.	26.479	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1
	Right Whale E.F.I. ■	250	E.DW.XL.PT.	28.039	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1
			E.DW.UL.PT.	28.169	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1
	White Whale E.F.I. ■	300	E.DW.XL.PT.	28.789	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1
E.DW.UL.PT.			29.399	4169	DOHC-24V+VCT	EFI	E	HIP	-	12V/840W	DW	S1	

### TWIN INSTALLATION ENGINES WITH COUNTER ROTATION LOWER UNIT 4 STROKE

2x4 Cyl.	Sei Whale E.F.I. ■	2x200	E.DW.XL.PT.	43.559	2X2785	DOHC-16V+VCT	EFI	E	HIP	-	2x12V/500W	DW	S1
2x 6 Cyl.	Beaked Whale E.F.I. ■	2x225	E.DW.XL.PT.	52.619	2x4169	DOHC-24V+VCT	EFI	E	2 x HIP	-	2x12V/840W	DW	S1
			Right Whale E.F.I. ■	2x250	E.DW.XL.PT.	56.759	2x4169	DOHC-24V+VCT	EFI	E	2 x HIP	-	2x12V/840W
	White Whale E.F.I. ■	2x300	E.DW.XL.PT.	57.299	2x4169	DOHC-24V+VCT	EFI	E	2 x HIP	-	2x12V/840W	DW	S1
E.DW.UL.PT.			58.179	2x4169	DOHC-24V+VCT	EFI	E	2 x HIP	-	2x12V/840W	DW	S1	



### 4 STROKE XSR RANGE

4 Cylinders	Dorado E.F.I.	60XSR	E.ST.L.PT.	9.879	996	SOHC	EFI	E	HA	23lt	12V/200W	SL	R1
			E.ST.L.PT.	10.659	996	SOHC-16V	EFI	E	HA	23lt	12V/200W	SL	R1
	Murena E.F.I.	70XSR	E.ST.XL.PT.	11.159	996	SOHC-16V	EFI	E	HA	23lt	12V/200W	SL	R1
			E.ST.L.PT.	13.359	1596	DOHC-16V	EFI	E	HIP	-	12V/420W	SL	R1
	Spearfish E.F.I.	100XSR	E.ST.XL.PT.	13.579	1596	DOHC-16V	EFI	E	HIP	-	12V/420W	SL	R1
			E.ST.L.PT.	14.869	1832	DOHC-16V	EFI	E	HIP	-	12V/420W	SL	R1
	Swordfish E.F.I.	115XSR	E.ST.L.PT.	15.179	1832	DOHC-16V	EFI	E	HIP	-	12V/420W	SL	R1
			E.ST.XL.PT.	19.319	2670	DOHC-16V	EFI	E	HIP	-	12V/420W	SC	S1
	Killer Whale E.F.I.	150XSR	E.ST.L.PT.	19.629	2670	DOHC-16V	EFI	E	HIP	-	12V/420W	SC	S1
			E.ST.XL.PT.	22.999	2785	DOHC-16V+VCT	EFI	E	HIP	-	12V/500W	SC	S1
Sei Whale E.F.I.	200XSR	E.DW.XL.PT.	22.999	2785	DOHC-16V+VCT	EFI	E	HIP	-	12V/500W	SC	S1	

### TWIN INSTALLATION ENGINES WITH COUNTER ROTATION LOWER UNIT 4 STROKE XSR

2x4 Cyl.	Sei Whale E.F.I. ■	2x200XSR	E.DW.XL.PT.	43.869	2X2785	DOHC-16V+VCT	EFI	E	HIP	-	2x12V/500W	DW	S1
----------	--------------------	----------	-------------	--------	--------	--------------	-----	---	-----	---	------------	----	----

■ Pairs of engines with counter rotation lower units, supplied with top mounted twin lever remote control box, twin switch panel, tie bar, and counter rotation propellers.

In order to have more information go to: [WWW.SELVAMARINE.CO.UK](http://WWW.SELVAMARINE.CO.UK)

The rate of VAT is 20%. The current price list isn't a contract. We reserves the right to change the models, the specification and the prices without notice or incurring any obligation

# OUTBOARD MOTORS 2024

SUGGESTED RETAIL PRICE LIST FROM 1<sup>ST</sup> AUGUST 2023



Engine model	Power Hp	Version	PRICE (VAT incl.) £	Main technical data			Main standard riggings					
				Displacement (c.c.)	Admission	Starting method	Propeller	Fuel tank capacity	Alternator	Remote control box	Gauges (mod.)	
<b>2 STROKE RANGE - CARBURETTOR</b>												
Naxos	15	L.	<b>2.119</b>	260	1 carb	M	Std	12lt	-	-	-	
Antibes	30	L.	<b>2.639</b>	489	1 carb	M	Std	23lt	-	-	-	

**NOTE: The 2 stroke carburettor outboard engines are not intended for installation on recreational craft within the UK, as they have not been certified for compliance with the exhaust and noise emission requirements of UKSI 2017/737 relating to recreational craft.**

Being the two stroke carburettor engines made only for a professional use, they are not covered by the 5 Years warranty extension.

## LEGENDE

\* = Standard

- = Not included

**SI** = Built in fuel tank

**M** = Manual starter

**E** = Electric starter

**EI** = Electric starter with integrated starting battery

**C** = Short shaft (15")

**L** = Long shaft (20")

**XL** = Extra long shaft (25")

**Carb.** = Carburettor

**E.F.I.** = Electronic fuel injection

**OHV** = Over Head Valve

**SOHC** = Single Over Head Camshaft

**SOHC-16V** = Single Over Head Camshaft - 16 valves

**DOHC-16V** = Twin Over Head Camshaft - 16 valves

**DOHC-16V+VCT** = Twin Over Head Camshaft - 16 valves  
with Variable Camshaft Timing

**DOHC-24V+VCT** = Twin Over Head Camshaft - 24 valves  
with Variable Camshaft Timing

**S** = Hydraulic tilt

**T** = Power Tilt

**PT** = Power Trim/Tilt

**B** = Tiller handle steering

**ST** = Remote control box

**SL** = Side mounted remote control box

**SC** = Top mounted single lever  
remote control box + control panel

**BC** = Top mounted - twin lever  
remote control box + control panel

**DW** = Top mounted electronic Drive by Wire  
remote control box + control panel

**Std** = Aluminium propeller - standard size

**HA** = Aluminium propeller - size at customer choice

**HIP** = Polished stainless steel propeller - size  
at customer choice

**R1** = Multifunction digital screen LAN DLC IBN 3.5

**S1** = Multifunction digital screen LAN DLC-Plus TFT 4,3

**NOTE: The engine prices does not includes the labour cost and any eventual additional part needed to install it on the boat.**

**Prices include import costs and duties valid at the time of publishing the price list.**

# OUTBOARD MOTORS 2024

SUGGESTED RETAIL PRICE LIST FROM 1<sup>ST</sup>AUGUST 2023



**OPTIONAL REMOTE CONTROLS AND TILLER HANDLES - TO BE ORDERED TOGETHER WITH A NEW ENGINE ORDER - VAT INCLUDED**  
 (The listed amount is the additional cost to be added to the standard engine price. The normal standard control will be removed from the engine package).

Single top mounted remote control kit  
 Possible installation from Amberjack to Swordfish models.  
 (standard on Killer Whale, no specific order or extra amount required for this model)

£ 219



Boat integrated side remote control kit  
 Possible installation from Amberjack to Killer Whale models.  
 For Killer Whale: no extra amount required.

£ 139



Professional tiller handle kit for Amberjack, Aruana, Dorado and Murena

£ 319

Professional tiller handle kit for Amberjack, Aruana, Dorado and Murena

£ 339

Professional tiller handle kit for Amberjack, Aruana, Dorado and Murena

£ 339

Professional tiller handle kit for Spearfish

£ 379



**MULTIFUNCTION DIGITAL SCREEN LAN DLC - VAT INCLUDED**  
 (It fits to any EFI engine; Optional Speed sensor kit is eventually required).

Multifunction digital screen LAN DLC IBN 3.5

£ 379

1.5m cable to connect multifunction digital screen LAN DLC - Tiller handle controlled engines

£ 169

Multifunction digital screen LAN DLC-Plus TFT 4,3

£ 649

1.5 m cable to connect multifunction digital screen LAN DLC gauges to the engine - Drive by wire engines

£ 179

9 m cable to connect multifunction digital screen LAN DLC gauges to the engine - Mechanical controlled engines

£ 169

Adapter cable to have a NMEA 2000 type output

£ 169

**PROFESSIONAL ELECTRONICS REMOTE CONTROL KIT - for all PTT equipped, mechanical originally controlled models (PRICE VAT INCLUDED)**

For single engine installation

£ 2.659

For twin engine installation

£ 4.849

For twin engine installation - twin station

£ 5.829

Handheld control kit, single engine

£ 989

Handheld control kit, twin engines

£ 1.229

Note.: the installation is not included. All the prices are ex-works.

**TRANSPORT FREIGHT FOR UK MAINLAND - VAT INCLUDED**

For engines from 2,5 to 6 Hp

£ 100

For engines from 100 to 115 Hp

£ 260

For engines from 8 to 20 Hp

£ 150

For engines of 150 and 200 Hp

£ 340

For engines from 25 to 70 Hp

£ 210

For engines from 225 to 300 Hp

£ 430

For leisure only, 5 Years limited warranty. Not applicable for professional use.

**In order to have more information go to: [WWW.SELVAMARINE.CO.UK](http://WWW.SELVAMARINE.CO.UK)**

The rate of VAT is 20%. The current price list isn't a contract. We reserves the right to change the models, the specification and the prices without notice or incurring any obligation